

Research Interests

Updated September 18, 2013

Vishva M. Dixit, M.D.

Vice-President, Early Discovery Research

Genentech

1 DNA Way, Mail Stop #40

South San Francisco, CA 94080

SUMMARY OF PAST RESEARCH

Apoptosis was a mysterious process in the early nineties. A debate raged as to how the TNF receptor TNFR1 and its close homologue Fas engaged the suicide pathway. The first breakthrough was the demonstration from the Dixit laboratory that a cysteine protease (now termed caspase) was a component of the death receptor-induced apoptotic pathway (Tewari, *JBC*, 1995, citations: 575). These observations set the stage for the identification of YAMA, or caspase-3, as the key downstream executioner protease (Tewari, *Cell*, 1995, citations: 1,921), although this then begged the question of how it was engaged by death receptors. Other surface receptors functioned as ion channels or by altering intracellular phosphorylation events but death receptors signaled apoptosis by an entirely new mechanism. Specifically, an adapter protein termed FADD recruited and activated an initiating death protease called FLICE/caspase-8 (Chinnaiyan, *Cell*, 1995, citations: 2,207 and Muzio, *Cell*, 1996, citations: 2,596). In other words, the second messenger emanating from the death receptor was a protease! These papers, designated citation classics, resulted in Dr. Dixit being the second most highly cited scientist in 1996.

Subsequently, his laboratory promulgated the “induced proximity model” as a mechanism for the activation of caspase zymogens (Muzio, *JBC*, 1998, citations: 905), showed that the FADD/caspase-8 pathway was indeed the central apoptotic conduit used by all death receptors (Pan, *Science*, 1997, citations: 1,499), revealed TRAF3 to be a CD40 signaling adaptor (Hu, *JBC*, 1994, citations: 320), demonstrated that MyD88 was a key adaptor in IL-1 signaling (Muzio, *Science*, 1997, citations: 881), discovered Paracaspases and Metacaspases, one of which plays a central role in MALT lymphoma (Uren, *Mol Cell*, 2000, citations: 694), and established that NOD proteins possessing a death-fold are critical components of the inflammasome complex (Mariathasan, *Nature*, 2006, citations: 951). A20, an increasingly important negative regulator of NF-kappaB signaling that has been incontrovertibly linked to human autoimmune disorders, was first discovered and characterized by his laboratory (Opipari, *JBC*, 1990, citations: 275 and Krikos, *JBC*, 1992, citations: 294) and shown to possess ubiquitin editing activity (Wertz, *Nature*, 2004, citations: 818) using isopeptide-linkage specific antibodies (Newton, *Cell*, 2008, citations: 214).

Much of what is described herein was documented for the sake of scientific posterity in three accounts published in *Nature* (2008, 453:271-273), *Nature Cell Biology* (2010, 12(5): 415) and *The Journal of Immunology* (2013, 190:3-4). These accounts highlight the pervasive excitement in the heydays of apoptosis research and Dr. Dixit’s pivotal role.

Research Interests

Updated January 25, 2013

SELECTED BIBLIOGRAPHY

*Indicates Citation Classics

- *1. Chinnaiyan, A.M., O'Rourke, K., Tewari, M., and V.M. Dixit: FADD, a Novel Death Domain-Containing Protein, Interacts with the Death Domain of FAS and Initiates Apoptosis. **Cell** Vol. 81:505-512 (1995). [Number of Citations: 2207]
- *2. Tewari, M., Quan, L.T., O'Rourke, K., Desnoyers, S., Zheng, Z., Beidler, D.R., Poirier, G.G., Salvesen, G., and V.M. Dixit: Yama/Cpp32 β , a Mammalian Homolog of CED-3, is a CrmA-Inhibitable Protease that Cleaves the Death Substrate Poly (ADP-Ribose) Polymerase. **Cell** Vol. 81:801-809 (1995). [Number of Citations: 1921]
3. Pandey, A., Shao, H., Marks, R.M., Polverini, P.J., and V.M. Dixit: Role of B61, the Ligand for the Eck Receptor Tyrosine Kinase in TNF-Induced Angiogenesis. **Science** Vol. 268:567-569 (1995). [Number of Citations: 327]
- *4. Muzio, M., Chinnaiyan, A.M., Kischkel, F.C., O'Rourke, K., Shevchenko, A., Scaffidi, C., Bretz, J.D., Zhang, M., Ni, J., Gentz, R., Mann, M., Krammer, P.H., Peter, M.E., and V.M. Dixit: FLICE, a Novel FADD-homologous ICE/CED-3-like Protease, is Recruited to the CD95 (Fas/APO-1) Death-Inducing Signaling Complex (DISC). **Cell** Vol. 85:817-827 (1996). [Number of Citations: 2596]
5. Chinnaiyan, A.M., O'Rourke, K., Yu, G.-L., Lyons, R.H., Garg, M., Duan D.R., Xing, L., Gentz, R., Ni, J., and V.M. Dixit: Signal Transduction by DR3: a Death Domain-Containing Receptor Related to TNFR-1 and CD95. **Science** Vol. 274:990-992 (1996). [Number of Citations: 575]
6. Duan, H. and V.M. Dixit: RAIDD is a New 'Death' Adaptor Molecule. **Nature** Vol. 385:86-89 (1997). [Number of Citations: 478]
7. Chinnaiyan, A.M., O'Rourke, K., Lane, B.R., and V.M. Dixit: Interaction of CED-4 with CED-3 and CED-9: A Molecular Framework for Cell Death. **Science** Vol. 275:1122-1126 (1997). [Number of Citations: 604]
Commentary: Paper provided a biochemical framework that helped illuminate how key components of the death pathway function.
8. Pan, G., O'Rourke, K., Chinnaiyan, A.M., Ruben S.M., Gentz, R., Ni, J., and V.M. Dixit: The Receptor for the Cytotoxic Ligand TRAIL. **Science** Vol. 276:111-113 (1997). [Number of Citations: 1499]
9. Pan, G., Ni, J., Wei, Y.F., Yu, G.L., Gentz, R., and V.M. Dixit: An Antagonist Decoy Receptor and a Death-Domain Containing Receptor for TRAIL. **Science** Vol. 277:815-818 (1997). [Number of Citations: 1339]

Research Interests

Updated January 25, 2013

10. Muzio, M., Ni, J., Feng, P., and V. M. Dixit: IRAK (Pelle) Family Member IRAK-2 and MyD88 as Proximal Mediators of IL-1 Signaling. **Science** Vol. 278:1612-1615 (1997). [Number of Citations: 881]

Commentary: First identification of an adapter utilized by the IL-1 receptor to engage the NF-kB pathway. Achieved prominence when later studies showed MyD88 to also function as an NF-kB activating adapter for Toll-Like Receptors (TLRs).

11. Yan, M., Wang, L.C., Hymowitz, S.G., Schilbach, S., Lee, J., Goddard, A., de Vos, A. M., Gao, W.Q., and V.M. Dixit: Two-Amino Acid Molecular Switch in An Epithelial Morphogen That Regulates Binding to Two Distinct Receptors. **Science** Vol. 290:523-527 (2000). [Number of Citations: 224]
12. Humke, E.W., Shriver, S.K., Starovasnik, M.A., Fairbrother, W.J., and V.M. Dixit: ICEBERG: A Novel Inhibitor of Interleukin-1 β Generation. **Cell** Vol. 103:99-111 (2000). [Number of Citations: 176]
13. Ruefli-Brasse, A., French, D.M., and V.M. Dixit: Regulation of NF-kB-Dependent Lymphocyte Activation and Development by Paracaspase. **Science** Vol. 302: 1581-1584 (2003). [Number of Citations: 230]
14. Zhou, H., Wertz, I., O'Rourke, K., Ultsch, M., Seshagiri, S., Eby, M., Xiao, W., and V. M. Dixit: Bcl10 activates the NF-kB pathway through ubiquitination of NEMO. **Nature** Vol. 427:167-171 (2004). [Number of Citations: 425]

Commentary: Paper shows how post-translational modification (K-63 linked ubiquitination) of NEMO is a pivotal event in antigen-receptor mediated NF-kB activation.

15. Wertz, I., O'Rourke, K., Zhang, Z., Dornan, D., Arnott, D., Deshaies, R., and V.M. Dixit: Human De-Etiolated-1 Regulates c-Jun by Assembling a CUL4A Ubiquitin Ligase. **Science** Vol. 303:1371-1374 (2004). [Number of Citations: 225]

Commentary: First identification of the long sought after mammalian c-jun ubiquitin ligase and suggestion of how it functions in plants to regulate photomorphogenesis.

16. Dornan, D., Wertz, I., Shimizu, H., Arnott, D., Frantz, G.D., Dowd, P., O'Rourke, K., Koeppen, H., and V. M. Dixit: The ubiquitin ligase COP1 is a negative regulator of p53. **Nature** Vol. 429:86-92 (2004). [Number of Citations: 477]
17. Mariathasan, S., Newton, K., Monack, D.M., Vucic, D., French, D.M., Lee, W.P., Roose-Girma, M., Erickson, S., and V.M. Dixit: Differential activation of the inflammasome by caspase-1 adapters ASC and Ipaf. **Nature** Vol. 430:213-218 (2004). [Number of Citations: 665]

Commentary: Unequivocal identification of the upstream adapters responsible for activation of caspase-1, the protease responsible for the proteolytic maturation of IL-1 and IL-18, and their subversion by pathogenic organisms. Designated as a "Hot Paper" in The Scientist (Volume 22 | Issue 2 | Page 59)

Research Interests

Updated January 25, 2013

18. Wertz, I., O'Rourke, K., Koonin, E., Aravind, L., Eby, M., Seshagiri, S., Wu, P., Wiesmann, C., Zhou, H., Baker, R., Boone, D., Ma, A., and V.M. Dixit: De-ubiquitination and ubiquitin ligase domains of A20 downregulate NF- κ B signaling. **Nature** Vol. 430:694-699 (2004). [Number of Citations: 818]

Commentary: First example of a protein possessing both an ubiquitin ligase and a ubiquitin hydrolase activity that function in concert to attenuate NF- κ B signaling. Featured in The Scientist (Volume 20 | Issue 7 | Page 60) as a "Hot Paper."
19. Mariathasan, S., Weiss, D.S., Newton, K., McBride, J., O'Rourke, K., Roose-Girma, M., Lee, W.P., Weinrauch, Y., Monack, D.M., and V.M. Dixit: Cryopyrin activates the inflammasome in response to toxins and ATP. **Nature** Vol. 440:228-232 (2006). [Number of Citations: 951]
20. Dornan, D., Mah, A., Shimizu, H., Dudhela, T., Eby, M., O'Rourke, K., Seshagiri, S., and V.M. Dixit: ATM engages auto-degradation of the E3 ubiquitin ligase COP1 after DNA damage. **Science** Vol. 313:1122-1126 (2006). [Number of Citations: 72]
21. Kayagaki, N., Phung, Q., Chan, S., Chaudhari, R., Quan, C., O'Rourke, K.M., Eby M., Pietras E., Cheng G., Bazan, J.F., Zhang Z., Arnott D., and V.M. Dixit: DUBA: A Deubiquitinase That Regulates Type I Interferon Production. **Science** Vol. 318: 1628-1632 (2007). [Number of Citations: 177]
- *22. Varfolomeev, E., Blankenship, J.W., Wayson, S.M., Fedorova, A.V., Kayagaki, N., Garg, P., Zobel, K., Dynek, J.N., Wallweber, J.A., Flygare, J., Fairbrother, W.J., Deshayes, K., V.M. Dixit, and Vucic, D. IAP Antagonists Induce Autoubiquitination of c-IAPs, NF- κ B Activation, and TNF α -Dependent Apoptosis. **Cell** Vol. 131:669-681. (2007). [Number of Citations: 408]
23. Newton, K., Matsumoto, M., Wertz, I., Kirkpatrick, D., Lill, J., Tan, J., Dugger, D., Gordon, N., Sidhu, S., Fellouse, F., Komuves, L., French, D., Ferrando, R., Lam, C., Compaa, D., Yu, C., Bosanac, I., Hymowitz, S., Kelley, R., and V.M. Dixit: Ubiquitin Chain Editing Revealed by Polyubiquitin Linkage-Specific Antibodies. **Cell** Vol. 134: 668-678 (2008). [Number of Citations: 214]
24. Schwickart, M., Huang, X., Lill, J.R., Liu, J., Ferrando, R., French, D., Maecker, H., O'Rourke, K., Bazan, F., Eastham-Anderson, J., Yue, P., Dornan, D., Huang, D.C.S., V.M. Dixit: Deubiquitinase USP9X Stabilizes Mcl-1 and Promotes Tumor Cell Survival. **Nature** Vol. 463:104-107 (2010). [Number of Citations: 117]
25. Wertz I.E., Kusam S., Lam C., Okamoto T., Sandoval W., Anderson D.J., Helgason E., Ernst, J.A., Eby M., Liu J., Belmont L.D., Kaminker J.S., O'Rourke, K. M., Pujara K., Kohli P.B., Johnson A.R., Chiu M.L., Lill, J.R. Jackson P.K., Fairbrother W.j., Seshagiri S., Ludlam, M.J.C., Leong K.G., Dueber E.C., Maecker, H., Huang D.C.S. and Dixit V.M. Sensitivity to antitubulin chemotherapeutics is regulated by MCL1 and FBW7. **Nature** Vol 471: 110-114 (2011).

Research Interests

Updated January 25, 2013

26. Vitari, A.C., Leong, K.G., Newton, K., Yee, C., O'Rourke, K., Liu, J., Phu, L., Vij, R., Ferrando, R., Couto, S.S., Mohan, S., Pandita, A., Hongo, J.-A., Arnott, D., Gao, W.-Q., French, D.M., and Dixit V.M. COP1 is a tumor Suppressor that Causes Deregulation of Proto-oncogenic ETS Transcription Factors. **Nature** Vol 474: 403-408 (2011).
27. Williams, S.A., Maecker, H.L., French, D.L., Liu, J., Gregg, A., Silverstein, L.B., Cao, T.C., Carano, R.A.D., and Dixit V.M. USP1 Deubiquitinates ID Proteins to Preserve a Mesenchymal Stem Cell Program in Osteosarcoma. **Cell** Vol 146: 918-930 (2011).
28. Kayagaki, N., Warming, S., Lamkanfi, M., Walle, L.V., Louie, S., Dong, J., Newton, K., Qu, Y., Liu, J., Heldens, S., Zhang, J., Lee, W.P., Roose-Girma, M., and Dixit V.M. Non-canonical inflammasome activation targets caspase-11. **Nature** Vol. 479: 117–121 (2011).
29. Qu, Y., Misaghi S., Izrael-Tomasevic, A., Newton, K., Gilmour, L. L., Lamkanfi, M., Louie, S., Kayagaki, N., Liu, J., Komuves, L., Cupp, J. E., Arnott, D., Monack, D., and Dixit V. M. Phosphorylation of NLRC4 is critical for inflammasome activation. **Nature** Vol. 490; 539-542 (2012).
30. Dey, A., Seshasayee, D., Noubade, R., French, D. M., Liu, J., Chaurushiya, M. S., Kirkpatrick, D. S., Pham, V. C., Lill, J. R., Bakalarski, C. E., Wu, J., Phu, L., Katavolos, P., Saunders, L. M., Abdel-Wahab, O., Modrusan, Z., Seshagiri, S., Dong, K., Lin, Z., Balazs, M., Suriben, R., Newton, K., Hymowitz, S., Garcia-Manero, G., Martin, F., Levine, R. L., and Dixit V. M. Loss of the tumor suppressor BAP1 causes myeloid transformation. **Science** Vol. 337:1541-1546 (2012).
31. Huang, X., McGann, J.C., Liu, B.Y., Hannoush, R.N., Lill, J.R., Pham, V., Newton, K., Kakunda, M., Liu, J., Yu, C., Hymowitz, S.G., Hongo, J., Wynshaw-Boris, A., Polakis, P., Harland, R.M., Dixit, V.M. Phosphorylation of Dishevelled by protein kinase RIPK4 regulates Wnt signaling. **Science** Vol 339:1441-1445 (2013).
32. Kayagaki, N., Wong, M.T., Stowe, I.B., Ramani, S.R., Gonzalez, L.C., Akashi-Takamura, S., Miyake, K., Zhang, J., Lee, W.P., Muszynski, A., Forsberg, L.S., Carlson, R.W., Dixit, V.M. (2013) Non-canonical inflammasome activation by intracellular LPS independent of TLR4. **Science** Vol 341:1246-1249 (2013).